

SEQUENCE LISTING



<110> Vasta, Gerardo R.

Marsh, Adam G.

Fernandez-Robeldo, Jose A.

Coss, Cathleen A.

Wright, Anita C.

<120> Assay for Perkinsus in Shellfish

<130> 4115-137 CIP

<140> US 09/771,935

<141> 2001-01-30

<150> US 08/900,117

<151> 1997-07-25

<150> US 60/023,345

<151> 1996-07-26

<160> 19

<170> PatentIn version 3.1

<210> 1

<211> 1150

<212> DNA

<213> Perkinsus marinus

<400> 1
aaagtcgcac ctttcccat aaacccctc cccacccct tggacattgt tccacttttc 60
acttgatttg tgaagcacc aatgctagcc catagaacag tccagtagtt caatagagag 120
actagtgaac atagtttata acattgtcca aggggtggag ggggatgcgc gaaatcgatg 180
tgcacgtttg gtcaaagatg ctgcgaaaag ctgcacatca atttcgcaca tgggcgaaat 240
tgacttgcag gtgggtataa aagttgatgt aggccatgtg gctcgatttc aaccatatgg 300
gtatgcttct gaggatgggg tgttacagtg gaccatatga ggtaggtcat ttggagatgt 360
caccaaatg gtctaaatct gcgcattcca ttttaagtga ttttaagtga atttaagtga 420
attttactta aaattgacct ttttcgttgc gcagatttgg ggtggtgatg ggtgacgcgg 480
cgaatttttt aaaaaagagg tatatcgctg gctatttgta tttttggtat caccgcgtca 540
ccaatcacca ttgacggttt ctttttcgaa gtttttccgg attattgcat tttttatata 600
attgtgggtg gctgattctt gcgaaaggac tgttgatgatg tccgagttcc caaattggga 660
gtttttggac atcactcctg atctgccggc ggcatcagg atgactgaca tttcgatata 720
ttttgggtat tcgatagctg ccaaatcggc cagcgtcgag tattccggtt tattcgaagg 780
attcatgata ttgcaaaaata tcattgattt tcatggggtt ttgtattagt acccgctcat 840
tgtgggaaag tcgggtggat ttatcttacc cgcaaatcta atacaagatt tgcattgatgc 900
agcaatagac caaggttagt atagcagttg tatttatacg actagttatg caaacctttt 960
gtgttttttg ttgcgactct tggcgtgaac cggaagaccg gacctcgctt tcgactattc 1020
atctttgatg gatatgagat cgcaagggtg tcgcttcgtg cgatatttag tgaccatcag 1080
agcacgtac gacttttgat tatatccttg gatttaatcg gaagctcgca agcattgcat 1140
tgatgcaatc 1150

<210> 2

<211> 1550

<212> DNA

<213> Perkinsus sp.

<220>

<221> gene

<222> (1)..(1550)

<223> The nucleotide sequence of the NTS of rRNA of *P. andrewsi*, isolated from *Macoma balthica*.

<400> 2

```
ttttcatttt tgctttcaca accccgcacc ccatgtacaa tgttgccaac cactagagtt      60
tcaacaacat tcggatttga caacatgtca acaattcaca acagaaattg acaacattgt      120
cacaaattct caaattggac aacattggac aaaaattcac aacatacatt ggacaacagt      180
ggacaacgaa cccaaacccg acaacattgt ccaggggggat aggggggtgaa aaagcagtgc      240
cggcaaagtc gaaagatgtc aagttggaat gcgggtcaaa ttcgtcattt gtgtaaatcc      300
gcaattttgc caatgtgcaa ttttgcaaat gtgcaatttt gcaaattgtc aattttgcca      360
atgtgcaatt ttgcaaattgc gcaattttgc aaatccgcaa ttttgcaaat gtgcaatttt      420
ggaaaatcac caaatgaaaa tcgtccaagt cgaattggag gcgtggtgac atgggtcccg      480
gatcccctgg ttacagtgga caatatccca gcaatattcg ctgtaatttg gagtttcgct      540
gttttggtgcaa attttgagtc tgaaaaaaaa aattgcaaat gcgcaaaggg ggtgaaggaa      600
aaaaaagcac ccccgaagggt aaaattccct ttaagtcctt tgcgcatttg caaaattttc      660
aaaaattggt gcaaattgcgc ttttgttatt tggccgggtt attggtgtca aaagttgcct      720
ggggtggtta cacaatgcac ggaattgggt ggaagttgtg tgattgaaaa ttggtcgtgt      780
cacacaattt tgcgcatttg caaaaattcg caaattggac aaaaaagggt cgcgcacagt      840
caaattgcgc aaatttcaact ttgaagttag tgcgcatttg tggggcagaa atgtggtgac      900
agcatcgttt ttataataa atattctata tttagtatct ttattataat ttgctgtcac      960
caatcaccat tttagaattt ttattttttt atgttttagt gaccgcggga ttttttgcaa     1020
agtactattg tgatgtttga gttgtttgaa atgggcaatt tagaacatca tcagaaatcg     1080
ctgaatagtg atttttgagt ttgactgttt gaagtgtttt ggggtattcg cagctgccaa     1140
atcggtcagc gtcgaatata atagcatttt tgtgtgtata tgatatttag cgatatcatt     1200
ggaatcatgg ggttttgtat tagtaccgcg tcattgtggg aatgtcgggt ggttcaatat     1260
cacctgcaaa tttaatacag gatttgcatg atgcagcgac tgaccggggg ttgtataata     1320
gctgattatt cggcttatta tgcagaccta tcgtgttagt agttgcgact cttggcgtga     1380
```

accggaagac cggaacttga attcgactat ttacgtccgt aaacaggaga tttcaagaat 1440
attgcacatt ttgcgtagata taaacgtgat catctgagca cgcttcgact cttggatata 1500
tgctaatacag ccgtcatctg agagctcgca agcattgcaa ttgatgcaat 1550

<210> 3

<211> 1413

<212> DNA

<213> Perkinsus sp.

<220>

<221> gene

<222> (1)..(1413)

<223> The nucleotide sequence of the NTS of rRNA of Perkinsus mackini,
isolated from Mercenaria mercenaria.

<400> 3
cgtgcccttt tcacgaattc acagccccgc accccatgta caatgttgcc cacccgaaat 60
gcctgcctgc ccacccgaaa tgcccgaaat gcccgtaga aaaagtatgc gaaaagttct 120
tgtcaatddd gacagtgtgt gaaaaaactg aaaaagtcca ctcaacattg cattatgcaa 180
tttgccactc aacattgtcc agggggatag ggggtgaaaa agtatcgag tccaactgaa 240
aagatgctaa gttgaaatgc ggcgcaaatt catcacttga gttgcgaaaa tccctaaagt 300
cgaatttggc actcgggtgac atgatcggga atttccctgg ttacagtggc caaatcccag 360
caattttggc aaagtttttg agtttcgcac ttttcgcaa tttcgtgtct gaaaaaaaaa 420
tttcaacttt gcgcaaagggt gtcaaaggga aaaaaagcac cctcaaaagg aaatttccct 480
ttaatcccct ttgaaaaaaaa tgcgcaaagt taaatttgcg aaaatttoga ttttctcata 540
tgaccgatta gttggtgcca gatggtagtc gggatgggta cacggtgcac ggaactcggt 600
ggaagttctg gagttacgaa ttggtcccgt caccacaatt tgcgcattdt tgaaattgag 660
caaatttgag aaaaaagcag cgcgcaaagt taaatttgag gaaaattgac tttcaggtcg 720
gtgcgcaaatt ttggggtgaa aaagtgggta cagcatcaga attataataa ataattata 780
atctagttct tttattataa ttagctgtca ccaatcacca tttgagattt tttatttttt 840

tatgttttag tgaccgcggt attttttcca gagtactatc gtgatgtctg agttgtctaa	900
aacggcaatt tcagaacatt accagaaaac actgaatagt ggtttctgag tctgactgtt	960
tgaagtgttt tgggtattcg gcagctgcca attcggtcag ggttgaatat actaacattt	1020
ctgtgtgtat atgggtattta gcgatatcat tggaatcatg gggttttgta ttagtaccg	1080
ctcattgtgg gaaagtcggg tggttcaata tcacctgcaa atttaataca ggatttgc	1140
gatgcagcga ctgaccggg ttagtataat agctgattat tcggcttatt atgcagacct	1200
atcgtgttag tagttgcgac tcttggcgtg aaccggaaga ccggaacttg atttcgacta	1260
tttacgtccg taacacgtcc gtaaacagga gatttcaaga atattgcaca ttttgtgtga	1320
tataatcgtg atcatctgag cagccttcga ctcttgaata tttgttaaac aaccgatatt	1380
cgggagctcg caagcattgc aattgatgca atc	1413

<210> 4

<211> 21

<212> DNA

<213> Perkinsus marinus

<220>

<221> misc_feature

<222> (1)..(21)

<223> Forward primer (5'-3').

<400> 4

cacttgtatt gtgaagcacc c

21

<210> 5

<211> 21

<212> DNA

<213> Perkinsus marinus

<220>

<221> misc_feature

<222> (1)..(21)

<223> Reverse primer (5'-3').

<400> 5
ttggtgacat ctccaaatga c

21

<210> 6

<211> 20

<212> DNA

<213> Perkinsus marinus

<220>

<221> misc_feature

<222> (1)..(20)

<223> Forward primer (5'-3').

<400> 6
atgctagccc atagaacagt

20

<210> 7

<211> 20

<212> DNA

<213> Perkinsus marinus

<220>

<221> misc_feature

<222> (1)..(20)

<223> Reverse primer (5'-3').

<400> 7
atgctagccc acatcacagc

20

<210> 8

<211> 22

<212> DNA

<213> Perkinsus atlanticus

<220>

<221> misc_feature

<222> (1)..(22)

<223> Forward primer (5'-3')

<400> 8
atgctatggg tgggtgcgga cc

22

<210> 9

<211> 20

<212> DNA

<213> Perkinsus atlanticus

<220>

<221> misc_feature

<222> (1)..(20)

<223> Reverse primer (5'-3')

<400> 9
gtagcaagcc gtagaacagc

20

<210> 10

<211> 24

<212> DNA

<213> Perkinsus sp.

<220>

<221> misc_feature

<222> (1)..(24)

<223> NTS7 forward primer (5'-3') for Perkinsus andrewsi

<400> 10
aagtcgaatt ggaggcgtgg tgac

24

<210> 11

<211> 20

<212> DNA

<213> Perkinsus sp.

<220>

<221> misc_feature

<222> (1)..(20)

<223> NTS6 reverse primer for Perkinsus andrewsi

<400> 11
attgtgtaac caccccaggc

20

<210> 12

<211> 19

<212> DNA

<213> Perkinsus sp.

<220>

<221> misc_feature

<222> (1)..(19)

<223> Generic forward primer (5'-3') PER1 for *P. marinus*, *P. atlanticus*
and *P. andrewsi*.

<400> 12
tagtaccgcg tcattgtgg

19

<210> 13

<211> 17

<212> DNA

<213> *Perkinsus* sp.

<220>

<221> misc_feature

<222> (1)..(17)

<223> Generic reverse PER2 primer (5'-3') for *P. marinus*, *P. atlanticus*
and *P. andrewsi*

<400> 13
tgcaatgctt gcgagct

17

<210> 14

<211> 22

<212> DNA

<213> *Perkinsus* sp.

<220>

<221> misc_feature

<222> (1)..(22)

<223> Forward SSU3F primer (5'-3') for *P. andrewsi*

<400> 14
agttggattt ctgccttggg cg

22

<210> 15

<211> 22

<212> DNA

<213> Perkinsus sp.

<220>

<221> misc_feature

<222> (1)..(22)

<223> Forward SSU4F primer (5'-3') for P. andrewsi

<400> 15
accaggtcca gacataggaa gg

22

<210> 16

<211> 712

<212> DNA

<213> Perkinsus sp.

<220>

<221> misc_feature

<222> (1)..(712)

<223> A nucleotide sequence of the ITS1-5.8. S ITS2 regions of P. andre
wsi

<400> 16
acaccgattc attctctgag aaaccagcgg tctctgtaaa aggagatggg atctccgctt 60
tgtttagatc cccacacctg accgctttaa cgggccgggt aggtgcataa cttctatgaa 120

ccaattgtac tagtctaaag tatccaatat ccttttggat tttggtat	180
ttccaaactc tcaacgatgg atgcctcggc tcgagaatcg atgaaggacg cagcgaagt	240
cgataagcac tgcgatttgc agaattccgt gaaccagtag aaatctcaac gcatactgca	300
caaaggggat ttatcctctt tgtacataca tatcagtgtc gctcttcttc ccgatacaaa	360
cattttgttg atttacaatc aacattatgc tttgtatccc gcttggattc ctttattggg	420
atccgctgtg tgcgcttgct gacacaggcg cattaatttg caaggctata atactactgt	480
actgtagccc cttcgcaaga aggactgcgc tagtgagtat ctttggatgc tcgcaactc	540
gactgtgttg tggttgattc cgtgttcttc gatcacgca ttcacgctt caacgcatta	600
tgtcaaat	660
atcggtacta tagcacgctt gtcggtttgc aacctggcaa tatgtcatca tt	712

<210> 17

<211> 1808

<212> DNA

<213> Perkinsus sp.

<220>

<221> misc_feature

<222> (1)..(1808)

<223> A nucleotide sequence of the SSU rRNA of P. andrewsi

<400> 17

acctgggtga tcctgccagt agtcatatgc ttgtctcaaa gattaagcca tgcattgcta	60
agtataagct ttaaaccggcg aaactgcgaa tggctcatta aaacagttat agtttatttg	120
gtgatcgatt actatttggg taaccgtagt aattctagag ctaatacatg cgtcaaggcc	180
cgacttcgga agggctgcgt ttattagata cagaaccaac ctagctccgc ctagtccttg	240
ttggtgattc ataataacct ggcaatcgc acggcttgtc cggcgatgga ccattcaagt	300
ttctgacctc tcagctatgg acggtagggg attggcctac cgtggcggtg acgggtaacg	360
gggaattagg gttcgattcc ggagagggag cctgagaaac gactaccaca tctaaggaag	420
gcaacaggcg cgcaaatc ccaatcctga tacaggagg tagtgacaag aaataacaat	480

acagggcaat tctgtcttgt aattggaatg agtagatttt aaatctcttt acgagtatca	540
attggagggc aagtctggtg ccagcagccg cggttaattcc agctccaata gcgtatatta	600
aagttgttgc ggttaaaaag ctcgtagttg gattttctgcc ttgggcgacc ggtccacctt	660
tcctacgggt taggttggtg ccaggtttga ccttggtttt ttcttgggat tcgtgctcac	720
gcacttaact gtgcgctgac cgtgttccaa gacttttact ttgaggaaat tagagtgttt	780
caagcaggct tatgccgtga atacattagc atggaataat aggatatgac tttggtcata	840
ttttgttggg ttctaggact gaagtaatga ttaataggga cagtcggggg cattcgtatt	900
taactgtcag aggtgaaatt cttggatttg ttaaagacga actactgcga aagcatttgc	960
caaggatggt ttcatgatac aagaacgaaa gttaggggat cgaagacgat cagataccgt	1020
cctagtctta accataaact atgccgacta gggattggga gtcgttaatt ttagacgctc	1080
tcagcacctc gtgagaaatc aaagtctttg ggttccgggg ggagtatggt cgcaaggctg	1140
aaacttaaag gaattgacgg aagggcacca ccaggagtgg agcctgcggc ttaatttgat	1200
tcaacacggg aaaactcacc aggtccagac ataggaagga ttgacagatt gatagctctt	1260
tottgattct atgggtggtg gtgcatggcc gttcttagtt ggtggagtga tttgtctggt	1320
taattccgtt aacgaacgag accttaacct gctaaatagt tgcgtgaaat cttgtatttc	1380
accgctactt cttagaggga ctttgtgtgt ttaacacaag gaagcttgag gcaataacag	1440
gtctgtgatg cccttagatg ttctgggctg cacgcgcgct aactgacac gatcaacgag	1500
tatttccttg cccggtaggg ttagggtaat cttttgaaat cgtgtcgtgc tagggataga	1560
cgattgcaat tattcgtctt caacgaggaa ttctagtaa atgcaagtca tcagcttgcg	1620
ttgattacgt ccctgccctt tgtacacacc gcccgctcgt cctaccgatt gagtgatccg	1680
gtgagctgtc cggactgcga ttagttcagt ttctgttctt ttcgcgggaa gttctgcaaa	1740
ccttatcact tagaggaagg agaagtcgta acaaggtttc cgtaggtgaa cctgcagaag	1800
gatcattc	1808

<210> 18

<211> 1147

<212> DNA

<213> Perkinsus atlanticus

<220>

<221> misc_feature

<222> (1)..(1147)

<223> A nucleotide sequence of the NTS of rRNA of *P. atlanticus*

<400> 18
tcttttttaa tgcactcat ggcttgtgca tgcgtgcaag ccccgaggc cccctggaca 60
atgttatccc agctcaacaa cgagcaacag tgctatggca agtagtcac tagagagcca 120
agtcgacaat ctctacaaca ttgtccaagg gggaaagggg ggcgcgcgaa gttgacctgc 180
agcagaggga aaagatgctg agttttgctg caccccaact ttgcgcactt ggogaagttg 240
acttgcaggc gagggtaaaa gatgctatgg ttggttgctg accaagttcg ccgtgtgggt 300
catcattatc gaggtctgtg gtgacgatgg actagttttt agggattttc cggaggtgtc 360
accacggacc cccaacttt gcgcacgggg ggtactcaat ttaagttaa atttaagtaa 420
aatttactta aaattcacgt ttttgggtgc gcaaagttga ggtggtgact ggtgacacga 480
aaattttaaa aaagagagat attaaaaaaa tttttatatt ttctgtgtca ccgtgtcacc 540
agtcaccaca gggcgtaatt ttccgggaaa ttttcagatt ttccggaaaa attgcatttt 600
ggggtaaata gtgtccgtca gaattttgcc aaaggactgt cgtgatgtcc gagttcccaa 660
attgaggggt tttggacatc gctctgaaat cgctaacggc gtttcagatt tccgactttt 720
cgacatattc tgggtatttg atagctgcca aatcggtcag cgtcgaatat tccaatattt 780
cgaaggatat atgatatgc gagatatcat tggatttcat ggggttttgt attagtacc 840
gctcatcgtg ggaaagtcgg gtgaatttat tcaaccgca aatctaatac aagatttgca 900
tgatgcagcg actgaccggg gtgagtgtag cagctgttct acggcttgct acgcagacct 960
atcgtgttag tagttgcgac tcttggcgtg aaccggaaga ccggacctcg ctttcgacta 1020
ttcattccga tgaatatgag attgcaaggg tatcgcttcg tgcgatattt agtgatcatc 1080
agagcacgct acgacttcag tatatcctcg gatacacaga agctcgcaag cattgcatga 1140
tgcaatc 1147

<210> 19

<211> 19

<212> DNA

<213> Perkinsus sp.

<220>

<221> misc_feature

<222> (1)..(19)

<223> Generic forward PER1 primer (5'-3') for P. marinus

<400> 19
tagtaccgcg tcacgtgg